



Isometric view of a mechanical part. Dimensions are given: 45.3 (length), 68.7 (width), and 34.8 (height). A circular feature is visible on the front face. A section line is shown with the label 'A-A' and a scale of '1:10'.

[View following F](#)

PŘEKLAD
Dne: 17. 12. 2014
PROVEDLA

10/5/11

THORNTON NAS.

PROUSTA MAT.
WEST. ZADIVUSY
ZADIVUS OATYBU
DEKA BODIVINU

NOTA :

- Metal sheet thickness : 6 mm
- Radii without dimension : R = 5
- Bend radii : R = 6
- Unfolded length (for info) = 1

Laser cutting tolerances	
Notes: 1. All cutting tolerances shall dimension to 1. 2. All values are stated in millimetres	
0.5	±0.8
1.0	±1.0
1.5	±1.2
2.0	±1.5
3.0	±2.0
4.0	±2.5
5.0	±3.0
6.0	±3.5
7.0	±4.0
8.0	±4.5
9.0	±5.0
10.0	±5.5
11.0	±6.0
12.0	±6.5
13.0	±7.0
14.0	±7.5
15.0	±8.0
16.0	±8.5
17.0	±9.0
18.0	±9.5
19.0	±10.0
20.0	±10.5
21.0	±11.0
22.0	±11.5
23.0	±12.0
24.0	±12.5
25.0	±13.0
26.0	±13.5
27.0	±14.0
28.0	±14.5
29.0	±15.0
30.0	±15.5
31.0	±16.0
32.0	±16.5
33.0	±17.0
34.0	±17.5
35.0	±18.0
36.0	±18.5
37.0	±19.0
38.0	±19.5
39.0	±20.0
40.0	±20.5
41.0	±21.0
42.0	±21.5
43.0	±22.0
44.0	±22.5
45.0	±23.0
46.0	±23.5
47.0	±24.0
48.0	±24.5
49.0	±25.0
50.0	±25.5
51.0	±26.0
52.0	±26.5
53.0	±27.0
54.0	±27.5
55.0	±28.0
56.0	±28.5
57.0	±29.0
58.0	±29.5
59.0	±30.0
60.0	±30.5
61.0	±31.0
62.0	±31.5
63.0	±32.0
64.0	±32.5
65.0	±33.0
66.0	±33.5
67.0	±34.0
68.0	±34.5
69.0	±35.0
70.0	±35.5
71.0	±36.0
72.0	±36.5
73.0	±37.0
74.0	±37.5
75.0	±38.0
76.0	±38.5
77.0	±39.0
78.0	±39.5
79.0	±40.0
80.0	±40.5
81.0	±41.0
82.0	±41.5
83.0	±42.0
84.0	±42.5
85.0	±43.0
86.0	±43.5
87.0	±44.0
88.0	±44.5
89.0	±45.0
90.0	±45.5
91.0	±46.0
92.0	±46.5
93.0	±47.0
94.0	±47.5
95.0	±48.0
96.0	±48.5
97.0	±49.0
98.0	±49.5
99.0	±50.0
100.0	±50.5

Released