



First-angle projection 	01 State was RFQ Stav byl RFQ	T23501														
General tolerance (GT) in mm Size range <table border="1"> <tr> <td>> 30</td> <td>> 120</td> <td>> 400</td> <td>> 1000</td> </tr> <tr> <td>≤ 30</td> <td>≤ 120</td> <td>≤ 400</td> <td>≤ 1000</td> </tr> </table>	> 30	> 120	> 400	> 1000	≤ 30	≤ 120	≤ 400	≤ 1000	Index alteration	Change no	Fit	Toler.				
> 30	> 120	> 400	> 1000													
≤ 30	≤ 120	≤ 400	≤ 1000													
Inspection dim.  Auxillary dim. ()	Material: Blank no:	Weight: in Kg 0.1														
GT coarse <table border="1"> <tr> <td>L</td> <td>1</td> <td>2</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>≤</td> <td>1</td> <td>2</td> <td>4</td> <td></td> <td>6</td> </tr> </table>	L	1	2	2	3	4	≤	1	2	4		6	Drawn 25.3.2010 T.Scotford Checked 26.3.2010 T.Scotford Auth'd 29.3.2010 H.Williams M.check 31.3.2010 H.Matthews	Title: plate HARNESS SUPPORT	PROD. Scale	
L	1	2	2	3	4											
≤	1	2	4		6											
Lengths (L) and angle (L/Δ) = ±GT Tolerance Symbols ISO 1101 ○ roundness = 1/2ø-Tol. - □ straightness/flatness = GT ◎ concentricity/run out = GT ≡ symmetry = GT // parallelism = GT ⊕ position = GT	Drawing number / / 14013632500	Sheet: 1 of: 1														
Languages: en	Confidential document Refer to protection notice ISO 1606	Repl.	Orig.													