



NAHRAZUJE ORIGINALA

21.12.2009

PICTORIAL VIEW
SCALE 1:1

TOLERANCES ON DIMENSIONS UNLESS OTHERWISE SPECIFIED				
NOMINAL SIZE OF DIMENSION	mm	FRACTION		INCHES
		TO	FROM	
UP TO 1/8 INCH (2.54 mm)		0.005	0.015	0.005
1/8 INCH TO 1/4 INCH (2.54 mm TO 6.35 mm)		0.005	0.015	0.005
1/4 INCH TO 3/4 INCH (6.35 mm TO 19.05 mm)		0.005	0.015	0.005
3/4 INCH TO 1 1/2 INCH (19.05 mm TO 38.10 mm)		0.005	0.015	0.005
1 1/2 INCH TO 3 INCH (38.10 mm TO 76.20 mm)		0.005	0.015	0.005
3 INCH TO 6 INCH (76.20 mm TO 152.40 mm)		0.005	0.015	0.005
6 INCH TO 12 INCH (152.40 mm TO 304.80 mm)		0.005	0.015	0.005
12 INCH TO 24 INCH (304.80 mm TO 609.60 mm)		0.005	0.015	0.005
24 INCH TO 48 INCH (609.60 mm TO 1219.20 mm)		0.005	0.015	0.005
48 INCH TO 96 INCH (1219.20 mm TO 2438.40 mm)		0.005	0.015	0.005
96 INCH TO 192 INCH (2438.40 mm TO 4876.80 mm)		0.005	0.015	0.005
192 INCH TO 384 INCH (4876.80 mm TO 9753.60 mm)		0.005	0.015	0.005
384 INCH TO 768 INCH (9753.60 mm TO 19507.20 mm)		0.005	0.015	0.005
768 INCH TO 1536 INCH (19507.20 mm TO 39014.40 mm)		0.005	0.015	0.005
1536 INCH TO 3072 INCH (39014.40 mm TO 77428.80 mm)		0.005	0.015	0.005
3072 INCH TO 6144 INCH (77428.80 mm TO 154857.60 mm)		0.005	0.015	0.005
6144 INCH TO 12288 INCH (154857.60 mm TO 311715.20 mm)		0.005	0.015	0.005
12288 INCH TO 24576 INCH (311715.20 mm TO 623430.40 mm)		0.005	0.015	0.005
24576 INCH TO 49152 INCH (623430.40 mm TO 1246860.80 mm)		0.005	0.015	0.005
49152 INCH TO 98304 INCH (1246860.80 mm TO 2493721.60 mm)		0.005	0.015	0.005
98304 INCH TO 196608 INCH (2493721.60 mm TO 4987443.20 mm)		0.005	0.015	0.005
196608 INCH TO 393216 INCH (4987443.20 mm TO 9974886.40 mm)		0.005	0.015	0.005
393216 INCH TO 786432 INCH (9974886.40 mm TO 19949772.80 mm)		0.005	0.015	0.005
786432 INCH TO 1572864 INCH (19949772.80 mm TO 39899545.60 mm)		0.005	0.015	0.005
1572864 INCH TO 3145728 INCH (39899545.60 mm TO 79799091.20 mm)		0.005	0.015	0.005
3145728 INCH TO 6291456 INCH (79799091.20 mm TO 159498182.40 mm)		0.005	0.015	0.005
6291456 INCH TO 12582912 INCH (159498182.40 mm TO 318996364.80 mm)		0.005	0.015	0.005
12582912 INCH TO 25165824 INCH (318996364.80 mm TO 637992729.60 mm)		0.005	0.015	0.005
25165824 INCH TO 50331648 INCH (637992729.60 mm TO 1275985459.20 mm)		0.005	0.015	0.005
50331648 INCH TO 100663296 INCH (1275985459.20 mm TO 2551970918.40 mm)		0.005	0.015	0.005
100663296 INCH TO 201326592 INCH (2551970918.40 mm TO 5103941836.80 mm)		0.005	0.015	0.005
201326592 INCH TO 402653184 INCH (5103941836.80 mm TO 10207883673.60 mm)		0.005	0.015	0.005
402653184 INCH TO 805306368 INCH (10207883673.60 mm TO 20415767347.20 mm)		0.005	0.015	0.005
805306368 INCH TO 1610612736 INCH (20415767347.20 mm TO 40831534694.40 mm)		0.005	0.015	0.005
1610612736 INCH TO 3221225472 INCH (40831534694.40 mm TO 81663069388.80 mm)		0.005	0.015	0.005
3221225472 INCH TO 6442450944 INCH (81663069388.80 mm TO 163326138777.60 mm)		0.005	0.015	0.005
6442450944 INCH TO 12884901888 INCH (163326138777.60 mm TO 326652277555.20 mm)		0.005	0.015	0.005
12884901888 INCH TO 25769803776 INCH (326652277555.20 mm TO 653304555110.40 mm)		0.005	0.015	0.005
25769803776 INCH TO 51539607552 INCH (653304555110.40 mm TO 1306609110220.80 mm)		0.005	0.015	0.005
51539607552 INCH TO 103079215104 INCH (1306609110220.80 mm TO 2613218220441.60 mm)		0.005	0.015	0.005
103079215104 INCH TO 206158430208 INCH (2613218220441.60 mm TO 5226436440883.20 mm)		0.005	0.015	0.005
206158430208 INCH TO 412316860416 INCH (5226436440883.20 mm TO 10452872881766.40 mm)		0.005	0.015	0.005
412316860416 INCH TO 824633720832 INCH (10452872881766.40 mm TO 20905745763532.80 mm)		0.005	0.015	0.005
824633720832 INCH TO 1649267441664 INCH (20905745763532.80 mm TO 41811491527065.60 mm)		0.005	0.015	0.005
1649267441664 INCH TO 3298534883328 INCH (41811491527065.60 mm TO 83622983054131.20 mm)		0.005	0.015	0.005
3298534883328 INCH TO 6597069766656 INCH (83622983054131.20 mm TO 167245966108262.40 mm)		0.005	0.015	0.005
6597069766656 INCH TO 13194139533312 INCH (167245966108262.40 mm TO 334491932216524.80 mm)		0.005	0.015	0.005
13194139533312 INCH TO 26388279066624 INCH (334491932216524.80 mm TO 668983864433049.60 mm)		0.005	0.015	0.005
26388279066624 INCH TO 52776558133248 INCH (668983864433049.60 mm TO 1337967728866099.20 mm)		0.005	0.015	0.005
52776558133248 INCH TO 105553116266496 INCH (1337967728866099.20 mm TO 2675935457732198.40 mm)		0.005	0.015	0.005
105553116266496 INCH TO 211106232532992 INCH (2675935457732198.40 mm TO 5351870915464396.80 mm)		0.005	0.015	0.005
211106232532992 INCH TO 422212465065984 INCH (5351870915464396.80 mm TO 10703741830928793.60 mm)		0.005	0.015	0.005
422212465065984 INCH TO 844424930131968 INCH (10703741830928793.60 mm TO 21407483661857587.20 mm)		0.005	0.015	0.005
844424930131968 INCH TO 1688849860263936 INCH (21407483661857587.20 mm TO 42814967323715174.40 mm)		0.005	0.015	0.005
1688849860263936 INCH TO 3377699720527872 INCH (42814967323715174.40 mm TO 85629934647430348.80 mm)		0.005	0.015	0.005
3377699720527872 INCH TO 6755399441055744 INCH (85629934647430348.80 mm TO 171259869294860697.60 mm)		0.005	0.015	0.005
6755399441055744 INCH TO 13510798882111488 INCH (171259869294860697.60 mm TO 342519738589721395.20 mm)		0.005	0.015	0.005
13510798882111488 INCH TO 27021597764222976 INCH (342519738589721395.20 mm TO 685039477179442790.40 mm)		0.005	0.015	0.005
27021597764222976 INCH TO 54043195528445952 INCH (685039477179442790.40 mm TO 1370078954358885580.80 mm)		0.005	0.015	0.005
54043195528445952 INCH TO 108086391056891904 INCH (1370078954358885580.80 mm TO 2740157908717771161.60 mm)		0.005	0.015	0.005
108086391056891904 INCH TO 216172782113783808 INCH (2740157908717771161.60 mm TO 5480315817435542323.20 mm)		0.005	0.015	0.005
216172782113783808 INCH TO 432345564227567616 INCH (5480315817435542323.20 mm TO 10960631634871084646.40 mm)		0.005	0.015	0.005
432345564227567616 INCH TO 864691128455135232 INCH (10960631634871084646.40 mm TO 21921263269742169292.80 mm)		0.005	0.015	0.005
864691128455135232 INCH TO 1729382256910270464 INCH (21921263269742169292.80 mm TO 43842526539484338585.60 mm)		0.005	0.015	0.005
1729382256910270464 INCH TO 3458764513820540928 INCH (43842526539484338585.60 mm TO 87685053078968677171.20 mm)		0.005	0.015	0.005
3458764513820540928 INCH TO 6917529027641081856 INCH (87685053078968677171.20 mm TO 175370106157937354342.40 mm)		0.005	0.015	0.005
6917529027641081856 INCH TO 13835058055282163712 INCH (175370106157937354342.40 mm TO 350740212315874708684.80 mm)		0.005	0.015	0.005
13835058055282163712 INCH TO 27670116110564327424 INCH (350740212315874708684.80 mm TO 701480424631749417369.60 mm)		0.005	0.015	0.005
27670116110564327424 INCH TO 55340232221128654848 INCH (701480424631749417369.60 mm TO 1402960849263498834739.20 mm)		0.005	0.015	0.005
55340232221128654848 INCH TO 110680464442257309696 INCH (1402960849263498834739.20 mm TO 2805921698526997669478.40 mm)		0.005	0.015	0.005
110680464442257309696 INCH TO 221360928884514619392 INCH (2805921698526997669478.40 mm TO 5611843397053995338956.80 mm)		0.005	0.015	0.005
221360928884514619392 INCH TO 442721857769029238784 INCH (5611843397053995338956.80 mm TO 11223686794107990677913.60 mm)		0.005	0.015	0.005
442721857769029238784 INCH TO 885443715538058477568 INCH (11223686794107990677913.60 mm TO 22447373588215981355827.20 mm)		0.005	0.015	0.005
885443715538058477568 INCH TO 1770887431076116955136 INCH (22447373588215981355827.20 mm TO 44894747176431962711654.40 mm)		0.005	0.015	0.005
1770887431076116955136 INCH TO 3541774862152233910272 INCH (44894747176431962711654.40 mm TO 89789494352863925423308.80 mm)		0.005	0.015	0.005
3541774862152233910272 INCH TO 7083549724304467820544 INCH (89789494352863925423308.80 mm TO 179578988705727850846617.60 mm)		0.005	0.015	0.005
7083549724304467820544 INCH TO 14167099448608935641088 INCH (179578988705727850846617.60 mm TO 359157977411455701693235.20 mm)		0.005	0.015	0.005
14167099448608935641088 INCH TO 28334198897217871282176 INCH (359157977411455701693235.20 mm TO 718315954822911403386470.40 mm)		0.005	0.015	0.005
28334198897217871282176 INCH TO 56668397794435742564352 INCH (718315954822911403386470.40 mm TO 1436631909645822806772940.80 mm)		0.005	0.015	0.005
56668397794435742564352 INCH TO 113336795588871485128704 INCH (1436631909645822806772940.80 mm TO 2873263819291645613545881.60 mm)		0.005	0.015	0.005
113336795588871485128704 INCH TO 226673591177742970257408 INCH (2873263819291645613545881.60 mm TO 5746527638583291227091763.20 mm)		0.005	0.015	0.005
226673591177742970257408 INCH TO 453347182355485940514816 INCH (5746527638583291227091763.20 mm TO 11493055277166582454183526.40 mm)		0.005	0.015	0.005
453347182355485940514816 INCH TO 906694364710971881029632 INCH (11493055277166582454183526.40 mm TO 22986110554333164908367052.80 mm)		0.005	0.015	0.005
906694364710971881029632 INCH TO 1813388729421943762059264 INCH (22986110554333164908367052.80 mm TO 45972221108666329816734105.60 mm)		0.005	0.015	0.005
1813388729421943762059264 INCH TO 3626777458843887524118528 INCH (45972221108666329816734105.60 mm TO 91944442217332659633468211.20 mm)		0.005	0.015	0.005
3626777458843887524118528 INCH TO 7253554917687775048237056 INCH (91944442217332659633468211.20 mm TO 183888884434665319266936422.40 mm)		0.005	0.015	0.005
7253554917687775048237056 INCH TO 14507109835375550096474112 INCH (183888884434665319266936422.40 mm TO 367777768869330638533872844.80 mm)		0.005	0.015	0.005
14507109835375550096474112 INCH TO 29014219670751100192948224 INCH (367777768869330638533872844.80 mm TO 735555537738661277067745689.60 mm)		0.005	0.015	0.005
29014219670751100192948224 INCH TO 58028439341502200385896448 INCH (735555537738661277067745689.60 mm TO 1471111075477322554135491379.20 mm)		0.005	0.015	0.005
58028439341502200385896448 INCH TO 116056878683004400771792896 INCH (1471111075477322554135491379.20 mm TO 2942222150954645108270982758.40 mm)		0.005	0.015	0.005
116056878683004400771792896 INCH TO 232113757366008801543585792 INCH (2942222150954645108270982758.40 mm TO 5884444301909290216541965516.80 mm)		0.005	0.015	0.005
232113757366008801543585792 INCH TO 464227514732017603087171584 INCH (5884444301909290216541965516.80 mm TO 11768888603818580433083931033.60 mm)		0.005	0.015	0.005
464227514732017603087171584 INCH TO 928455029464035206174343168 INCH (11768888603818580433083931033.60 mm TO 23537777207637160866167862067.20 mm)		0.005	0.015	0.005
928455029464035206174343168 INCH TO 1856910058928070412348686336 INCH (23537777207637160866167862067.20 mm TO 47075554415274321732335724134.40 mm)		0.005	0.015	0.005
1856910058928070412348686336 INCH TO 3713820117856140824697372672 INCH (47075554415274321732335724134.40 mm TO 94151108830548643464671448268.80 mm)		0.005	0.015	0.005
3713820117856140824697372672 INCH TO 7427640235712281649394745344 INCH (94151108830548643464671448268.80 mm TO 188302217661097286929342896537.60 mm)		0.005	0.015	0.005
7427640235712281649394745344 INCH TO 14855280471424563298789490688 INCH (188302217661097286929342896537.60 mm TO 376604435322194573858685793075.20 mm)		0.005	0.015	0.005
14855280471424563298789490688 INCH TO 29710560942849126597578981376 INCH (376604435322194573858685793075.20 mm TO 753208870644389147717371586150.40 mm)		0.005	0.015	0.005
29710560942849126597578981376 INCH TO 59421121885698253195157962752 INCH (753208870644389147717371586150.40 mm TO 1506417741288778295434743172300.80 mm)		0.005	0.015	0.005
59421121885698253195157962752 INCH TO 118842243771396506390315925504 INCH (1506417741288778295434743172300.80 mm TO 3012835482577556590869486344601.60 mm)		0.005	0.015	0.005
118842243771396506390315925504 INCH TO 237684487542793012780631851008 INCH (3012835482577556590869486344601.60 mm TO 6025670965155113181738972689203.20 mm)		0.005	0.015	0.005

SCALE	1:1	SHEET	1 OF 1	MATERIAL	STEEL
NET WEIGHT	0.03 kg	DRG NO	A3	FINISH	
			TREAT SPECIFICATION		

THIRD ANGEL PRODUCTIONS	6112023M1	2
RING		
BRIDGE		

THIRD ANGEL PRODUCTIONS	6112023M1	2
RING		
BRIDGE		

Q177-8 pros

5

