




PŘEKLAD
dne: 12 -05- 2016
Př PROVEDLIA
JANA PROKEŠOVÁ



STAV DODÁNÍ:
BEK OTŘEP
ODMĚSTĚNÝ

LM/16/00512

STW 2007/11: BEK OTEPEL DOKUMENT		First angle projection		W State was RQ	STW BVL RFD	140832
General tolerance (G) in mm Size range 30 to 120 120 to 400 400 to 1000		Index alteration Inspection dm. Auxiliary dm.		Material: EN 1025 S275 JR		Change no. Fl. Toler.
Condition at time of delivery de-scaled (degree of purity) S 2 V2 acc. ISO 8501-3 not heat treated but with 1030		course 1 2 3 4 1 2 4 6		Drawn 10.2.2012 M. Seltzer Checked 13.2.2012 M. Seltzer Auth'd 18.2.2012 M. Seltzer M. Seltzer 18.2.2012 M. Seltzer		Weight: 1 kg 53.0
outline length Wm 10535 outer width 485 mm inner width 570 mm		Permissible tap and rounding during flame cutting: laser positive bevel cut, Wm 10572 all-free 1 free of grease		plate BACK PLATE		15.0 1:10 Sheet: 1 of 1
Tolerances for section to DIN 6930 Part 2 accuracy grade m		Tolerances 1 2 3 4 1 2 4 6		Drawing number 14015711415		1 of 1
Indicate the required condition at time of delivery with an X.		Conformational document Refer to protection note Wm 10572		Released		14.01.2012 15:00:01